

## Product technical sheet



## FOLD


**Design:** Cristian Li Voi


**Typology:** Ceiling lamp, wall lamp, hanging lamp, ceiling track

**Product code:** 1516.1L - GIG1516.1L - 1513.1L - GIG1513.1L - 1517.120.3L

**Products details:** Additional compositions on demand.  
 Black rubber electric cable.  
 Driver included.  
 Dimmable.  
 LED is replaceable by professional.  
 Lumen indicated corresponds to the luminous intensity at the origin of the LED board.  
 Ceiling track: stainless polished steel.  
 UL components +10%.  
 Products GIG in Fume color: 10% surcharge on the price of the coloured.

### Glass colours:





## 1516.1L

Ceiling lamp-Wall lamp


Glass Ø24 cm - H10 cm

1 x LED 12,8W Dimmer Triac - 1615 Lm - 126 Lm/W

CC 350mA - CRI Typ.95 - 32 - 40V

180° - 3 step MacAdam - 2700°K / 3000°K

CE IP20 ⚠ 1m



## GIG1516.1L

Ceiling lamp-Wall lamp


Glass Ø36 cm - H13 cm

1 x LED 17,4W Dimmer Triac - 2370 Lm - 134,3 Lm/W

CC 500mA - CRI Typ.95 - 32 - 40V

180° - 3 step MacAdam - 2700°K / 3000°K

CE IP20 ⚠ 1m



## 1513.1L

Hanging lamp


Glass Ø36 cm - H13 cm

1 x LED 17,4W Dimmer Triac - 2370 Lm - 134,3 Lm/W

CC 500mA - CRI Typ. 95 - 32 - 40V

180° - 3 step MacAdam - 2700°K / 3000°K

CE IP20 ⚠ 1m



## GIG1513.1L

Hanging lamp


Glass Ø36 cm - H13 cm

1 x LED 17,4W Dimmer Triac - 2370 Lm - 134,3 Lm/W

CC 500mA - CRI Typ. 95 - 32 - 40V

180° - 3 step MacAdam - 2700°K / 3000°K

CE IP20 ⚠ 1m



## 1517.120.3L

Ceiling track

L124 - P24 cm - cavo/cable 150 cm

3 x LED 17,4W Dimmer Triac - 2370 Lm -

134,3 Lm/W - CC 500mA -

CRI Typ. 95 - 32 - 40V

180° - 3 step MacAdam - 2700°K / 3000°K

CE IP20 ⚠ 1m